

A Report Submitted to Fine Americas, Inc.

Use of Fresco to Overcome Over-Regulated Bedding Plants

Summer, 2009

Daedre Craig, Mike Olrich, and Erik Runkle

MICHIGAN STATE
UNIVERSITY

Ageratum houstonianum 'Hawaii Royal'

No Piccolo spray

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Ageratum houstonianum 'Hawaii Royal'

10 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Ageratum houstonianum 'Hawaii Royal'

40 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Begonia x semperflorens-cultorum 'Bronze Leaf Cocktail'

No Piccolo spray

Fresco spray applied 18 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Begonia x semperflorens-cultorum 'Bronze Leaf Cocktail'

0.5 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 18 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Begonia x semperflorens-cultorum 'Bronze Leaf Cocktail'

2.0 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 18 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 41 days after Piccolo application at 68 °F (23 days after Fresco application)

Impatiens walleriana 'Super Elfin XP Red'

No Piccolo spray

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)

Impatiens walleriana 'Super Elfin XP Red'

5 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)

Impatiens walleriana 'Super Elfin XP Red'

10 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)

Viola xwittrockiana 'Delta Formula Mix'

No Piccolo spray

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)

Viola xwittrockiana 'Delta Formula Mix'

5 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)

Viola × wittrockiana 'Delta Formula Mix'

10 ppm Piccolo spray applied 1 day before transplant

Fresco spray applied 11 days after transplant (ppm):

Control

0.0

2.5

5.0

10.0



Photo: 27 days after Piccolo application at 68 °F (15 days after Fresco application)